




This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	ADDED OPPOSITE END & ENGRAVE P/N.	6/12/07	WP	
1A	CH'D TITLEBLOCK & REVISION BLOCK, CH'D ENGRAVE NOTE.	12/9/09	RJC	RW



NOTE:

1. TURN & CUT SLOT, THEN SPLIT INTO HALVES.
2. ATTACH -2 WORM DRIVE HOSE CLAMP. INSTALL A SHEET OF BROWN CRAFT PAPER BETWEEN TO AVOID SCRATCHING.

ASSY QTY	ASSY QTY	B/O	PART #	QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS
			-1	1pr.	CLAMP	6061-T6	Ø1.75 x 3.75
		B/O	-2	1	WORM DRIVE HOSE CLAMP		2in. SAE 24
ASSY #							

RED BARN MACHINE	
TITLE 4 BLADE T/R BUNGEE TOOL	
DWG NO. RBD29936-4BL	REV 1A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	
FRACTIONS ± 1/32 ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 10-28-05
SHEET 1 of 1	

NOT APPROVED FOR PRODUCTION

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

PART #	QTY	DESCRIPTION
-1	1	41L40 Ø5/8 x 3/4

USED ON MODEL
?

DRAWN BY:	PERRITT
APPROVED	
HEAT TREAT	
FINISH SPEC	BLACK OXIDE
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS	
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± 5°
.X ± .1	
UNLESS OTHERWISE SPECIFIED	
1. BREAK ALL SHARP EDGES	
.015 x 45° PR .015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	

RB RED BARN MACHINE	
TITLE	
4 BLADE T/R BUNGEE TOOL	
DWG NO.	RBD29936-4BL
SCALE	NTS
DATE	9-15-03
SHEET	1 of 1

NOT APPROVED FOR PRODUCTION

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

PART #	QTY	DESCRIPTION
-1	1	4140 3/16 x 1 1/2 x 4

DRAWN BY: PERRITT	RB RED BARN MACHINE	
CHECKED	TITLE	
HEAT TREAT FINISH SPEC	TITLE	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± .5° .X ± .1	DWG NO. PART # REV.	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE NTS	DATE 9-15-03 SHEET 1 of 1